

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office SEP 23 1991

Returned to applicant for correction OCT 11 1991

Corrected application filed _____

Map filed JUN - 7 1982 under 45451

The applicant Robert S. Monaco, Janet L. Monaco
8580 West Wigwam Avenue, of Las Vegas,
Street and No. or P.O. Box No. City or Town
Nevada 89113, hereby make S application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) _____

1. The source of the proposed appropriation is underground source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .0062 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for quasi-municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kinds of animals to be watered _____

(c) Other use (describe fully under "No. 12. Remarks") _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point within the W $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$
Describe as being within a 40-acre subdivision of public

Section 16, Township 22 South, Range 60 East, M.D.M., Nevada, which
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
bears South 09°31'59" West, 361.98 feet to the West one-quarter (W $\frac{1}{4}$)
corner of said Section 16.

6. Place of use within the W $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 16, Township 22 South,
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Range 60 East, M.D.M., Nevada.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, and storage tank
State manner in which water is to be diverted: i.e. diversion structure, ditches and

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$ 15,000.

10. Estimated time required to construct works 2 years If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This well presently serves three (3) residences. (Refer to map filed under Permit 45451.) This application adds one (1) more house, for a total of four (4) residences under this permit.

By S/Robert S. Monaco

Robert S. Monaco, Agent
8580 West Wigwam Avenue
Las Vegas, Nevada 89113

Compared bk/vjw am/se

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0062 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before February 26, 1994

Proof of completion of work shall be filed on or before March 26, 1994

Application of water to beneficial use shall be made on or before February 26, 1997

Proof of the application of water to beneficial use shall be filed on or before March 26, 1997

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JUN 21 1993

Proof of beneficial use filed.....

Cultural map filed.....


Certificate No. Issued.....

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 26th day of February

A.D. 19 92


State Engineer